



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 26, 2016

Jennifer Klika
Manager, Regulatory Affairs
Chem-Tech, Ltd.
1006 Business Hwy 5
Pleasantville, IA 50225

Subject: Label Amendment – Label revisions in response to comments in registration notice.
Product Name: CT Horse and Dog Spray
EPA Registration Number: 47000-188
Application Date: April 1, 2016
Decision Number: 515975

Dear Ms. Klika:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.


A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 47000-188
Decision No. 515975

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Meredith M. Fry". The ink is dark and the signature is centered on the page.

Meridith M. Fry, Ph.D., Product Manager 4
Invertebrate & Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

CT Horse and Dog Spray

ACTIVE INGREDIENT:

Permethrin*	0.10%
Pyrethrins	0.50%
N-Octyl Bicycloheptene dicarboximide**	0.20%

OTHER INGREDIENTS:..... 99.20%

TOTAL..... 100.00%

* Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans

**MGK[®] 264 Insecticide Synergist


EPA Reg. No. 47000-188

EPA Est. No. 47000-IA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents:

8 ounce
12 ounce
32 ounce
1 gallon
2.5 gallon
5 gallon



**Manufactured By:
Chem-Tech, Ltd.
1006 North Highway 5
Pleasantville, IA 50025**

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If on Skin or on Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice.
Have product container or label with you when calling a poison control center or doctor for treatment advice.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any water-proof material. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Do not apply to puppies or foals under 12 weeks of age. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

USE RESTRICTIONS

- Do not contaminate food or feedstuffs.
- Not for broadcast use on indoor residential surfaces or in indoor residential misting systems (indoor or outdoor).
- **For indoor use only.**
- Do not use this product on foals or puppies less than 12 weeks of age.
- Except when applying to dogs, puppies (over 12 weeks of age), horses, ponies, or foals (over 12 weeks of age), do not allow others to enter until vapors, mists and aerosols have dispersed, and the treated area has be thoroughly ventilated.
- Except when apply to dogs, puppies (over 12 weeks of age), horses, ponies, or foals (over 12 weeks of age), do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- In the home, cover all food processing surfaces and utensils during treatment or thoroughly washed before use. Cover or removed exposed food and drinking water.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow product to enter any drain during or after application.

SHAKE WELL BEFORE USE

Ready- to-Use. No mixing necessary. Hold container upright and spray as directed. CT Horse and Dog Spray may be applied directly with either a soft cloth or fine mist spray.

To operate trigger sprayer, turn tip to the proper setting for fine spray or a pin stream for cracks and crevices, and pump trigger to spray as directed. After use, turn tip to the **OFF** position to avoid accidental spraying.

HORSES, PONIES, AND FOALS

(OVER 12 WEEKS OF AGE)

Kills and Repels:

Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Cluster Flies, Sciarid Flies, Mosquitos (including Culex specie which may transmit West Nile Virus), Gnats, Midges, Punkies and No-See-Ums, Carpenter Bees, Moths (including Almond, Chocolate, Tobacco, Indian Meal, Angoumois Grain, and other flying moths), Fleas, Ticks (including Brown Dog, Lone Star, Deer and other Ixodes species, American Dog, and Gulf Coast), Chiggers and Lice.

For initial treatment, apply 1-2 ounces daily for 2-3 days. As infestation subsides, repeat treatment every 7-14 days or as prescribed by a veterinarian. Also, re-apply every time animal is washed or exposed to heavy rain.

Use As a Spray:

Apply to face, legs, flanks, top line, and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two (2) ounces per application. After application, brush thoroughly to bring out a bright sheen on the coat.

Use As A Wipe On:

Brush animal to remove excess dirt and dust. Moisten but do not wet to the point of dripping a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out a bright sheen on the coat.

Make sure spray has completely dried before covering with any tack.

**DOGS AND PUPPIES
(OVER 12 WEEKS OF AGE)**

Kills and Repels:

Fleas, Ticks and Lice

Do not apply more than nine (9) fluid ounces when applying to dogs.

Cover animal's eyes with a hand. Do not spray directly on mouth, nose and eyes. Spray head, ears and chest until damp. With fingertips, rub into face, and around mouth, nose and eyes. Then spray from the neck to the tail, finishing legs last. For best penetration of spray to skin and on heavily coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. Avoid contact with the genitalia. Repeat treatment, if necessary, in 14 days.

Use as a Premise Spray in Barns, Stables Farm Buildings, and Buildings Housing Animals and in Homes:

Kills the following listed insects on contact:

Cockroaches, Ants (including Fire Ants, Carpenter Ants, Foraging Ants, and Pharaoh Ants), Spiders (including Black Widow), Scorpions, Silverfish, Sowbugs (Pillbugs), Centipedes, Millipedes, Crickets, Grain Mites, Clover Mites, Beetles (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Sow-Toothed Grain, Warehouse, Red Flour, Ground, Elm Leaf), Rice Weevils, Water Bugs, Cadelles, Indian Meal Worms, Boxelder Bugs, Asian Lady Beetles, Earwigs, Clothes Moths and Booklice.

Spray thoroughly in areas where insects congregate. Direct spray into hiding places, cracks and crevices, along baseboard and around door and window frames. Spray to contact as many exposed insects as possible. Do not use more than once per day.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, away from food or feed, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

CONTAINER HANDLING AND DISPOSAL:

Non-refillable container. Do not reuse this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Chem-Tech, Ltd. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Chem-Tech, Ltd. shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

Code (NT.RA.) NT.RA.

Prozap[®] is a Registered Trademark of Neogen Corporation.
SureKill[®] is a Registered Trademark of Neogen Corporation.

Alternate Brand Names:

Prozap[®] Fly-Die Ultra

Optional Marketing Statements / Graphics:

Ready-to-Use

Ready to Use Insecticide and
Repellent

Kills Fleas and Ticks on
Dogs for 14 Days.

Controls Fleas and Ticks on
Dogs 14 Days.

Rapid Knockdown, Kill and
Repellency for Up to 14 Days

For Use On Horses, Ponies,
Foals, Dogs and a Premise
Spray.

Kills Listed Insects on
Contact: Cockroaches,
Scorpions, Beetles, Ants
(including Fire Ants), Spiders
(including Black Window in
premises), Centipedes,
Millipedes and Crickets.

For Use on Horses, Ponies to
Control Stable Flies, Horn
Flies, House Flies, Horse
Flies, Deer Flies, Face Flies,
Gnat and Mosquitoes
(including Culex species
which may transmit West
Nile Virus)

Also Approved for Use on
Dogs as a Premise Spray

Stays Active for 14 Days

Sweat and Water Resistant
Formula

Sweat and Water Proof
Formula

Sweat Protection

Sweat and Water Protection

Weatherproof formula binds
to the hair shaft to repel and
protect from listed insects,
sweat, rain, dust and dirt for
up to 14 days.

Weatherproof formula repels and protects from bugs, sweat, rain, dust and dirt for up to 14 days.

Protection for pastured horse for up to 14 days.

Works Rain or Shine.

ChemTech, Ltd. is a Wholly Owned Subsidiary of Neogen Corporation.

Manufactured in the U.S.A.
<Flag Graphic>

